






符号	日付	変更履歴	担当	確認	承認



マウントブラケット S=1/5



リモコン受光部 S=1/5



リモコン送信機 S=1/5

マウントブラケット： 全種類とも3個

製品の仕様及びデザインは予告なく変更する場合があります。

Date	13/03/18	尺度	1/5 1/10	単位	mm	機種名	BDR(ケース無し電動スクリーン)
株式会社						品名	ブラックマスクなし製品寸法図
<b>Theaterhouse</b>						品番	

## 16:9

品番	サイズ 16:9(インチ)	全幅 W(mm)	スクリーン幅 SW(mm)	映写サイズ WW(mm)	スクリーン高さ SH(mm)	映写高さ WH(mm)	全高さ H(mm)	重量 kg
BDR1550FHD	70	1625	1550	1550	(max)1920	(max)1920	(max)2016	4.6
BDR1550FHD-H2500	70	1625	1550	1550	(max)2404	(max)2404	(max)2500	5.0
BDR1550FEH	70	1625	1550	1550	1940	1940	2036	4.6
BDR1550FEH-H2500	70	1625	1550	1550	2404	2404	2500	5.0
BDR1780FHD	80	1855	1780	1780	(max)1920	(max)1920	(max)2016	5.0
BDR1780FHD-H2500	80	1855	1780	1780	(max)2404	(max)2404	(max)2500	5.6
BDR1780FEH	80	1855	1780	1780	1940	1940	2036	5.0
BDR1780FEH-H2500	80	1855	1780	1780	2404	2404	2500	5.6
BDR2000FHD	90	2075	2000	2000	(max)1920	(max)1920	(max)2016	5.4
BDR2000FHD-H2500	90	2075	2000	2000	(max)2404	(max)2404	(max)2500	6.1
BDR2000FEH	90	2075	2000	2000	1940	1940	2036	5.4
BDR2000FEH-H2500	90	2075	2000	2000	2404	2404	2500	6.1
BDR2220FHD	100	2295	2220	2220	(max)1920	(max)1920	(max)2016	5.9
BDR2220FHD-H2500	100	2295	2220	2220	(max)2404	(max)2404	(max)2500	6.7
BDR2220FEH	100	2295	2220	2220	1940	1940	2036	5.9
BDR2220FEH-H2500	100	2295	2220	2220	2404	2404	2500	6.7
BDR2440FHD	110	2515	2440	2440	(max)1920	(max)1920	(max)2016	6.3
BDR2440FHD-H2500	110	2515	2440	2440	(max)2404	(max)2404	(max)2500	8.6
BDR2440FEH	110	2515	2440	2440	1940	1940	2036	6.3
BDR2440FEH-H2500	110	2515	2440	2440	2404	2404	2500	8.6
BDR2660FHD	120	2735	2660	2660	(max)1920	(max)1920	(max)2016	8.5
BDR2660FHD-H2500	120	2735	2660	2660	(max)2404	(max)2404	(max)2500	9.5
BDR2660FEH	120	2735	2660	2660	1940	1940	2036	8.5
BDR2660FEH-H2500	120	2735	2660	2660	2404	2404	2500	9.5
BDR2880FHD	130	2955	2880	2880	(max)1920	(max)1920	(max)2016	9.1
BDR2880FHD-H2500	130	2955	2880	2880	(max)2404	(max)2404	(max)2500	10.2
BDR2880FEH	130	2955	2880	2880	1940	1940	2036	9.1
BDR2880FEH-H2500	130	2955	2880	2880	2404	2404	2500	10.2
BDR3100FHD	140	3175	3100	3100	(max)1920	(max)1920	(max)2016	9.7
BDR3100FHD-H2500	140	3175	3100	3100	(max)2404	(max)2404	(max)2500	10.8
BDR3100FEH	140	3175	3100	3100	1940	1940	2036	9.7
BDR3100FEH-H2500	140	3175	3100	3100	2404	2404	2500	10.8
BDR3330FHD	150	3405	3330	3330	(max)1920	(max)1920	(max)2016	10.3
BDR3330FHD-H2500	150	3405	3330	3330	(max)2404	(max)2404	(max)2500	11.6
BDR3330FEH	150	3405	3330	3330	1940	1940	2036	10.3
BDR3330FEH-H2500	150	3405	3330	3330	2404	2404	2500	11.6

## 16:10

品番	サイズ 16:10(インチ)	全幅 W(mm)	スクリーン幅 SW(mm)	映写サイズ WW(mm)	スクリーン高さ SH(mm)	映写高さ WH(mm)	全高さ H(mm)	重量 kg
WDR1723FHD	80	1798	1723	1723	(max)1920	(max)1920	(max)2016	5.1
WDR1723FHD-H2500	80	1798	1723	1723	(max)2404	(max)2404	(max)2500	5.4
WDR1723FEH	80	1798	1723	1723	1940	1940	2036	5.1
WDR1723FEH-H2500	80	1798	1723	1723	2404	2404	2500	5.4
BDR1723FEH	80	1798	1723	1723	1940	1940	2036	5.1
BDR1723FEH-H2500	80	1798	1723	1723	2404	2404	2500	5.4
WDR1939FHD	90	2014	1939	1939	(max)1920	(max)1920	(max)2016	5.5
WDR1939FHD-H2500	90	2014	1939	1939	(max)2404	(max)2404	(max)2500	5.9
WDR1939FEH	90	2014	1939	1939	1940	1940	2036	5.5
WDR1939FEH-H2500	90	2014	1939	1939	2404	2404	2500	5.9
BDR1939FEH	90	2014	1939	1939	1940	1940	2036	5.5
BDR1939FEH-H2500	90	2014	1939	1939	2404	2404	2500	5.9
WDR2154FHD	100	2229	2154	2154	(max)1920	(max)1920	(max)2016	6.1
WDR2154FHD-H2500	100	2229	2154	2154	(max)2404	(max)2404	(max)2500	6.6
WDR2154FEH	100	2229	2154	2154	1940	1940	2036	6.1
WDR2154FEH-H2500	100	2229	2154	2154	2404	2404	2500	6.6
BDR2154FEH	100	2229	2154	2154	1940	1940	2036	6.1
BDR2154FEH-H2500	100	2229	2154	2154	2404	2404	2500	6.6
WDR2369FHD	110	2444	2369	2369	(max)1920	(max)1920	(max)2016	6.6
WDR2369FHD-H2500	110	2444	2369	2369	(max)2404	(max)2404	(max)2500	7.1
WDR2369FEH	110	2444	2369	2369	1940	1940	2036	6.6
WDR2369FEH-H2500	110	2444	2369	2369	2404	2404	2500	7.1
BDR2369FEH	110	2444	2369	2369	1940	1940	2036	6.6
BDR2369FEH-H2500	110	2444	2369	2369	2404	2404	2500	7.1

WDR2585FHD	120	2660	2585	2585	(max)1920	(max)1920	(max)2016	8.5
WDR2585FHD-H2500	120	2660	2585	2585	(max)2404	(max)2404	(max)2500	9.0
WDR2585FEH	120	2660	2585	2585	1940	1940	2036	8.5
WDR2585FEH-H2500	120	2660	2585	2585	2404	2404	2500	9.0
BDR2585FEH	120	2660	2585	2585	1940	1940	2036	8.5
BDR2585FEH-H2500	120	2660	2585	2585	2404	2404	2500	9.0
WDR2800FHD	130	2875	2800	2800	(max)1920	(max)1920	(max)2016	9.4
WDR2800FHD-H2500	130	2875	2800	2800	(max)2404	(max)2404	(max)2500	9.9
WDR2800FEH	130	2875	2800	2800	1940	1940	2036	9.4
WDR2800FEH-H2500	130	2875	2800	2800	2404	2404	2500	9.9
BDR2800FEH	130	2875	2800	2800	1940	1940	2036	9.4
BDR2800FEH-H2500	130	2875	2800	2800	2404	2404	2500	9.9
WDR3015FHD	140	3090	3015	3015	(max)1920	(max)1920	(max)2016	9.9
WDR3015FHD-H2500	140	3090	3015	3015	(max)2404	(max)2404	(max)2500	10.6
WDR3015FEH	140	3090	3015	3015	1940	1940	2036	9.9
WDR3015FEH-H2500	140	3090	3015	3015	2404	2404	2500	10.6
BDR3015FEH	140	3090	3015	3015	1940	1940	2036	9.9
BDR3015FEH-H2500	140	3090	3015	3015	2404	2404	2500	10.6
WDR3231FHD-H2500	150	3306	3231	3231	(max)2404	(max)2404	(max)2500	11.3
WDR3231FEH-H2500	150	3306	3231	3231	2404	2404	2500	11.3
BDR3231FEH-H2500	150	3306	3231	3231	2404	2404	2500	11.3

4:3

品番	サイズ 4:3(インチ)	全幅 W(mm)	スクリーン幅 SW(mm)	映写サイズ WW(mm)	スクリーン高さ SH(mm)	映写高さ WH(mm)	全高さ H(mm)	重量 kg
BDR1627FHD	80	1702	1627	1627	(max)1920	(max)1920	(max)2016	4.0
WDR1627FHD	80	1702	1627	1627	(max)1920	(max)1920	(max)2016	4.0
WDR1627FHD-H2500	80	1702	1627	1627	(max)2404	(max)2404	(max)2500	5.2
BDR1627FEH	80	1702	1627	1627	1940	1940	2036	4.0
WDR1627FEH	80	1702	1627	1627	1940	1940	2036	4.0
WDR1627FEH-H2500	80	1702	1627	1627	2404	2404	2500	5.2
BDR1627FEH-H2500	80	1702	1627	1627	2404	2404	2500	5.2
BDR1830FHD	90	1905	1830	1830	(max)1920	(max)1920	(max)2016	5.2
WDR1830FHD	90	1905	1830	1830	(max)1920	(max)1920	(max)2016	5.0
WDR1830FHD-H2500	90	1905	1830	1830	(max)2404	(max)2404	(max)2500	5.7
BDR1830FEH	90	1905	1830	1830	1940	1940	2036	5.0
WDR1830FEH	90	1905	1830	1830	1940	1940	2036	5.0
WDR1830FEH-H2500	90	1905	1830	1830	2404	2404	2500	5.7
BDR1830FEH-H2500	90	1905	1830	1830	2404	2404	2500	5.7
BDR2033FHD	100	2108	2033	2033	(max)1920	(max)1920	(max)2016	5.8
WDR2033FHD	100	2108	2033	2033	(max)1920	(max)1920	(max)2016	5.0
WDR2033FHD-H2500	100	2108	2033	2033	(max)2404	(max)2404	(max)2500	6.3
BDR2033FEH	100	2108	2033	2033	1940	1940	2036	5.0
WDR2033FEH	100	2108	2033	2033	1940	1940	2036	5.0
WDR2033FEH-H2500	100	2108	2033	2033	2404	2404	2500	6.3
BDR2033FEH-H2500	100	2108	2033	2033	2404	2404	2500	6.3
BDR2236FHD	110	2311	2236	2236	(max)1920	(max)1920	(max)2016	6.2
WDR2236FHD	110	2311	2236	2236	(max)1920	(max)1920	(max)2016	6.0
WDR2236FHD-H2500	110	2311	2236	2236	(max)2404	(max)2404	(max)2500	6.8
BDR2236FEH	110	2311	2236	2236	1940	1940	2036	6.0
WDR2236FEH	110	2311	2236	2236	1940	1940	2036	6.0
WDR2236FEH-H2500	110	2311	2236	2236	2404	2404	2500	6.8
BDR2236FEH-H2500	110	2311	2236	2236	2404	2404	2500	6.8
WDR2439FHD	120	2514	2439	2439	(max)1920	(max)1920	(max)2016	7.0
WDR2439FHD-H2500	120	2514	2439	2439	(max)2404	(max)2404	(max)2500	8.6
WDR2439FEH	120	2514	2439	2439	1940	1940	2036	7.0
WDR2439FEH-H2500	120	2514	2439	2439	2404	2404	2500	8.6
BDR2439FEH	120	2514	2439	2439	1940	1940	2036	7.0
BDR2439FEH-H2500	120	2514	2439	2439	2404	2404	2500	8.6
BDR2643FHD-H2500	130	2718	2643	2643	(max)2404	(max)2404	(max)2500	9.0
WDR2643FHD-H2500	130	2718	2643	2643	(max)2404	(max)2404	(max)2500	9.0
BDR2643FEH-H2500	130	2718	2643	2643	2404	2404	2500	9.0
WDR2643FEH-H2500	130	2718	2643	2643	2404	2404	2500	9.0
BDR2846FHD-H2500	140	2921	2846	2846	(max)2404	(max)2404	(max)2500	10.0
WDR2846FHD-H2500	140	2921	2846	2846	(max)2404	(max)2404	(max)2500	10.0
BDR2846FEH-H2500	140	2921	2846	2846	2404	2404	2500	10.0
WDR2846FEH-H2500	140	2921	2846	2846	2404	2404	2500	10.0

BDR3049FHD-H2500	150	3124	3049	3049	(max)2380	(max)2500	(max)2500	10.0
WDR3049FHD-H2500	150	3124	3049	3049	(max)2380	(max)2500	(max)2500	10.0
BDR3049FEH-H2500	150	3124	3049	3049	2380	2500	2500	10.0
WDR3049FEH-H2500	150	3124	3049	3049	2380	2500	2500	10.0
BDR3252FHD-H2600	160	3327	3252	3252	(max)2480	(max)2500	(max)2600	11.0
WDR3252FHD-H2600	160	3327	3252	3252	(max)2480	(max)2500	(max)2600	11.0
BDR3252FEH-H2600	160	3327	3252	3252	2504	2504	2600	11.0
WDR3252FEH-H2600	160	3327	3252	3252	2504	2504	2600	11.0